

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 07, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. RACHEL R. BONCZYK
CERTIFIED ENVIRONMENTAL SERVICES INC
7280 CASWELL PLACE
NORTH SYRACUSE, NY 13212

NY Lab Id No: 11246

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Bacteriology

Coliform, Total / E. coli (Qualitative)	SM 21-23 9221A,B,C (-06) SM 21, 23 9222A,B,C SM 20, 21-23 9223B (-04) (Colilert)
E. coli (Enumeration)	SM 20, 21-23 9223B (-04) (Colilert)
Heterotrophic Plate Count	SM 20, 21-23 9215B (-04)

Metals I

Copper, Total	EPA 200.7 Rev. 4.4
Iron, Total	EPA 200.7 Rev. 4.4
Manganese, Total	EPA 200.7 Rev. 4.4
Silver, Total	EPA 200.7 Rev. 4.4
Zinc, Total	EPA 200.7 Rev. 4.4

Metals II

Aluminum, Total	EPA 200.7 Rev. 4.4
-----------------	--------------------

Metals III

Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4

Miscellaneous

Odor	SM 21-23 2150 B (-97)
Turbidity	SM 21-23 2130 B (-01)
UV 254	SM 21-23 5910B (-00,-11)

Non-Metals

Alkalinity	SM 21-23 2320B (-97)
Calcium Hardness	EPA 200.7 Rev. 4.4

Serial No.: 69512

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 07, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. RACHEL R. BONCZYK
CERTIFIED ENVIRONMENTAL SERVICES INC
7280 CASWELL PLACE
NORTH SYRACUSE, NY 13212

NY Lab Id No: 11246

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Non-Metals

Chloride	SM 21-23 4500-Cl- B (-97)
Color	SM 21-23 2120B (-01)
Corrosivity	SM 18-22 2330
Cyanide	SM 20, 21-23 4500-CN E
Fluoride, Total	SM 21-23 4500-F C (-97)
Nitrate (as N)	Hach Method 10206
	SM 21-23 4500-NO3 E (-00)
Nitrite (as N)	SM 21-23 4500-NO3 E (-00)
Orthophosphate (as P)	SM 19, 21-23 4500-P E (-99)
Solids, Total Dissolved	SM 21-23 2540C (-97)
Specific Conductance	SM 21-23 2510B (-97)
Sulfate (as SO4)	SM 19, 21-23 4500-SO4 E (-97)

Sample Preparation Methods

SM 20, 21-23 4500-CN C (-99)

Serial No.: 69512

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

